

## Bronnen van The Seat of the soul:

- 1 Kanner, Leo. *Nervous Child*, "Autistic Disturbances of Affective Contact." 1943.
- 2 *Madness on the Couch: Blaming the Victim in the Heyday of Psychoanalysis*, Edward Dolnick, p.216.
- 3 Taylor B, Miller E, Lingham R, Andrews N, Simmons A, Stowe, J. Measles, mumps, and rubella vaccination and bowel problems or developmental regression in children with autism: population study. *BMJ*. 2002;324:393-396.
- 4 Werner E, Dawson G.. Validation of the phenomenon of autistic regression using home videotapes. *Arch Gen Psychiatry*. 2005 Aug;62(8):889-95.
- 5 Wakefield AJ, Murch SH, Anthony A, Linnell J, Casson DM, Malik M, Berelowitz M, Dhillon AP, Thomson MA, Harvey P, Valentine A, Davies SE, Walker-Smith JA: Ileal-lymphoid-nodular hyperplasia, non-specific colitis, and pervasive developmental disorder in children. *Lancet* 1998 Feb 28;351(9103): 637-41.
- 6 Wakefield AJ, Anthony A, Murch SH, Thomson M, Montgomery SM, Davies S, Walker-Smith JA. Enterocolitis in children with developmental disorder. *American Journal of Gastroenterology* 2000;95:2285-2295.
- 7 Horvath K, Papadimitriou JC, Rabsztyan A, Drachenberg C, Tildon JT. Gastrointestinal abnormalities in children with autistic disorder. *J Pediatr* 1999 Nov;135:559-63.
- 8 Furlano RI, Anthony A, Day R, Brown A, McGavery L, Thomson MA, Davies SE, Berelowitz M, Forbes A, Wakefield AJ, Walker-Smith JA, Murch SH. Colonic CD8 and gamma delta T-cell infiltration with epithelial damage in children with autism. *Journal of Pediatrics* 2001;138:366-72.
- 9 Torrente F., Machado N., Perez-Machado M., Furlano R., Thomson M., Davies S., Wakefield AJ, Walker-Smith JA, Murch SH. Enteropathy with T cell infiltration and epithelial IgG deposition in autism. *Molecular Psychiatry*. 2002;7:375-382.
- 10 Ashwood P, Anthony A, Pellicer AA, Torrente F, Wakefield AJ. Intestinal lymphocyte populations in children with regressive autism: Evidence for extensive mucosal immunopathology. *Journal of Clinical Immunology*, 2003;23:504-517.
- 11 Krigsman A, Boris M, Goldblatt A. Frequency of histologic enterocolitis and lymphonodular hyperplasia in autistic children presenting for ileocolonoscopy. *IMFAR*. May 7<sup>th</sup>, 2004.
- 12 Balzola F, et al. Autistic Enterocolitis: Confirmation of a New Inflammatory Bowel Disease in an Italian Cohort of Patients. *Digestive Diseases Week*, Chicago, May 2005.
- 13 Balzola F, Barbon V, Repici A, Rizzetto M, Clauser D, Gandione M, Sapino A. Panenteric IBD-like disease in a patient with regressive autism shown for the first time by the wireless capsule enteroscopy: another piece in the jigsaw of this gut-brain syndrome? *Am J Gastroenterol*. 2005 Apr;100(4):979-81.
- 14 Sabra A, Bellanti J, Hartmann D, Zeligs B, MacDowell-Carneiro AL, Menendez F, Colon A, Guo Wu A, Sabra LF, Romero M, Sabra S, Ebecken R, Madi K. The GUT-CNS Connection: a new Domain for the Clinician. Gastrointestinal and Behavioral Dysfunction in Children with Non-IgE-mediated Food Allergy, Ileal-Nodular-Hyperplasia and Low Th1 Function: a New Clinical-Immunologic Constellation. *Annals of Allergy*.
- 15 Gonzalez L, Lopez K, Navarro D, Negron L, Rodriguez R, Flores L, Villalobos D, Martinez M, Rodriguez G, Sabra S, Bellanti J, Sabra A. Alteraciones inmunológicas e inmunohistoquímicas en la mucosa del tracto digestivo en niños autistas. *Venezuelan Medical Society presentation*.
- 16 Kushak R, Winter H, Farber N, Buie T. Gastrointestinal symptoms and intestinal disaccharidase activities in children with autism. *Journal of Pediatric Gastroenterology and Nutrition*, Vol. 41, No.4, October 2005.
- 17 Horvath K, Perman JA. Autism and gastrointestinal symptoms. *Curr Gastroenterol Rep*. 2002 Jun4(3):251-8.

- 18 Molloy CA, Morrow AL, Meinzen-Derr J, Schleifer K, Dienger K, Manning-Courtney P, Altaye M, Wills-Karp M. Elevated cytokine levels in children with autism spectrum disorder. *J Neuroimmunol.* 2006 Mar;172(1-2):198-205.
- 19 Becker, KB, Friedlin B, Simon RM. Comparative genomics of Autism, Tourette Syndrome, and autoimmune/Inflammatory Disorders (in press).
- 20 Uhlmann V, Martin CM, Sheils O, Pilkington L, Silva I, Killalea A, Murch SB, Walker-Smith J, Thomson M, Wakefield AJ, O'Leary JJ. Potential viral pathogenic mechanism for new variant inflammatory bowel disease. *Mol Pathol.* 2002 Apr;55(2):84-90.
- 21 Daynes G. Bread and tears; naughtiness, depression and fits due to wheat sensitivity. *Proc R Soc Med.* 1956 Jul;49(7):391-4.
- 22 Deykin EY, MacMahon B. Viral exposure and autism. *Am J Epidemiol.* 1979;109:628-638.
- 23 Appay V, Dunbar PR, Callan M, Klenerman P, Gillespie GM, Papagno L, Ogg GS, King A, Lechner F, Spina CA, Little S, Havlir DV, Richman DD, Gruener N, Pape G, Waters A, Easterbrook P, Salio M, Cerundolo V, McMichael AJ, Rowland-Jones SL. Memory CD8+ T cells vary in differentiation phenotype in different persistent virus infections. *Nat Med.* 2002 Apr;8(4):379-85.
- 24 Singh VK, Lin SX, Newell E, Nelson C. Abnormal measles-mumps-rubella antibodies and CNS autoimmunity in children with autism. *J Biomed Sci* 2002 Jul-Aug;9(4):359-64.
- 25 Singh VK, Jensen RL. Elevated levels of measles antibodies in children with autism. *Pediatr Neurol.* 2003 Apr;28(4):292-4.
- 26 Singh VK, Lin SX, Yang VC. Serological association of measles virus and human herpesvirus-6 with brain autoantibodies in autism. *Clin Immunol Immunopathol.* 1998 Oct;89(1):105-8.
- 27 Smeeth L, Cook C, Fombonne E, Heavey L, Rodriguez L, Smith PG, Hall AJ. MMR vaccination and pervasive developmental disorders: a case-control study. *Lancet.* Sep 11-17;364(9438):963-9.
- 28 Jefferson T, Price D, Demicheli V, Bianco E; European Research Program for Improved Vaccine Safety Surveillance (EUSAFEVAC) Project. Unintended Events Following Immunization with MMR a systematic review. *Vaccine,* 2003 21 (25-26):3954-60.
- 29 Bagenstose LM et al Mercury enhancers, susceptibility to Leishmaniasis Parasite. *Immunology.* 2001;23:633-640.
- 30 Hathaway CA et al Experimental colitis increases blood-brain barrier permeability in rabbits American Journal of gastrointest liver physiol 1999.276:1174-1180.
- 31 Havarinasab S, Haggqvist B, Bjorn E, Pollard KM, Hultman P. Immunosuppressive and autoimmune effects of thimerosal in mice. *Toxicol Appl Pharmacol.* 2005 Apr 15;204(2):109-21.
- 32 Burd L, Kerbeshian J, Klug MG, McCulloch K. A prevalence methodology for mental illness and developmental disorders in rural and frontier settings. *Int J Circumpolar Health.* 2000 Jan;59(1):74-86.
- 33 Nylander L, Gillberg C. Screening for autism spectrum disorders in adult psychiatric out-patients: a preliminary report. *Acta Psychiatr Scand.* 2001 Jun;103(6):428-34.
- 34 Gillberg C, Steffenburg S, Schaumann H. Is autism more common now than ten years ago? *Br J Psychiatry.* 1991 Mar;158:403-9.
- 35 Chang HL, Juang YY, Wang WT, Huang CI, Chen CY, Hwang YS. Screening for autism spectrum disorder in adult psychiatric outpatients in a clinic in Taiwan. *Gen Hosp Psychiatry.* 2003 Jul-Aug;25(4):284-8.
- 36 Croen L, Grether J, Hoogstrate J, Selvin S. The changing prevalence of autism in California. *J Autism Dev Disord.* 2002 Jun;32(3):207-15.

- 37 Croen LA, Grether JK. A Response to Blaxill, Baskin, and Spitzer on Croen et al. (2002), "The Changing Prevalence of Autism in California." *J Autism Dev Disord*, vol 33 April 2003, pp227-229(3).
- 38 Blaxill MF, Baskin DS, Spitzer WO. Blaxill, Baskin, and Spitzer on Croen et al. (2002), the changing prevalence of autism in California. *J Autism Dev Disord*. 2003 Apr;33(2):223-6; discussion 227-9.
- 39 MIND Institute. The Epidemiology of Autism in California; Report to the Legislature on the Principle Findings from The Epidemiology of Autism in California: A Comprehensive pilot Study. UC Davis 17 Oct 2002.
- 40 Welch MG, Welch-Horan TB, Anwar M, Anwar N, Ludwig RJ, Ruggiero DA. Brain effects of chronic IBD in areas abnormal in autism and treatment by single neuropeptides secretin and oxytocin. *J Mol Neurosci*. 2005;25(3):259-74.
- 41 Assen L et al Cerebral autonomic activation in TNBS-induced colitis American Gastroenterol. Assn 2003 AO13.
- Or Hathaway CA. Experimental colitis increases blood-brain barrier permeability in rabbits.
- 42 Vargas DL, Nascimbene C, Krishnan C, Zimmerman AW, Pardo CA. Neuroglial activation and neuroinflammation in the brain of patients with autism. *Ann Neurol*. 2005 Jan;57(1):67-81.
- 43 Ashwood P, Anthony A, Torrente F, Wakefield AJ., Spontaneous mucosal lymphocyte cytokine profiles in children with regressive autism and gastrointestinal symptoms: Mucosal immune activation and reduced counter regulatory interleukin-10. *Journal of Clinical Immunology*. 2004;24:664-673.
- 44 Bushara KO. Neurologic Presentation of Celiac Disease. *Gastroenterology* 2005;128:S92-S97.
- 45 Knivsberg AM, Reichelt KL, Høien T, Nodland M. A randomised, controlled study of dietary intervention in autistic syndromes. *Nutr Neurosci*. 2002 Sep;5(4):251-61.
- 46 Jyonouchi H, Sun S, Itokazu N. Innate immunity associated with inflammatory responses and cytokine production against common dietary proteins in patients with autism spectrum disorder. *Neuropsychobiology*. 2002;46(2):76-84.
- 47 Jyonouchi H, Geng L, Ruby A, Reddy C, Zimmerman-Bier B. Evaluation of an association between gastrointestinal symptoms and cytokine production against common dietary proteins in children with autism spectrum disorders. *J Pediatr*. 2005 May;146(5):605-10.
- 48 Jyonouchi H, Geng L, Ruby A, Zimmerman-Bier B. Dysregulated innate immune responses in young children with autism spectrum disorders: their relationship to gastrointestinal symptoms and dietary intervention. *Neuropsychobiology*. 2005;51(2):77-85.
- 49 James SJ, Cutler P, Melnyk S, Jernigan S, Janak L, Gaylor DW, Neubrandner JA. Metabolic biomarkers of increased oxidative stress and impaired methylation capacity in children with autism. *Am J Clin Nutr*. 2004 Dec;80(6):1611-7.
- 50 Wakefield A, Stott C, Limb K. Gastrointestinal comorbidity, autistic regression and Measles-containing vaccines: positive re-challenge and biological gradient. *Medical Veritas*: 3 (2006) 796–802..

## Bronnen van Autism, asthma, inflammation and the hygiene hypothesis. (Elsevier health journals)

- [1] Folstein SE, Rosen-Sheidley B. Genetics of autism: complex aetiology for a heterogeneous disorder. *Nat Rev Genet* 2001;2(12):943–55.
- [2] Bernard S, Enayati A, Redwood L, Roger H, Binstock T. Autism: a novel form of mercury poisoning. *Med Hypotheses* 2001;56(4):462–71.
- [3] Korvatska E, Van de Water J, Anders TF, Gershwin ME. Genetic and immunologic considerations in autism. *Neurobiol Dis* 2002;9(2):107–25.
- [4] Baron-Cohen S. The hyper-systemizing, assortative mating

- theory of autism. *Prog Neuropsychopharmacol Biol Psychiatry* 2006.
- [5] Constantino JN, Lajonchere C, Lutz M, et al. Autistic social impairment in the siblings of children with pervasive developmental disorders. *Am J Psychiatry* 2006;163(2):294–6.
- [6] Previc FH. Prenatal influences on brain dopamine and their relevance to the rising incidence of autism. *Med Hypotheses* 2007;68(1):46–60.
- [7] Gupta S, Aggarwal S, Rathanavaran B, Lee T. Th1- and Th2-like cytokines in CD4+ and CD8+ T cells in autism. *J Neuroimmunol* 1998;85(1):106–9.
- [8] Croonenberghs J, Wauters A, Devreese K, et al. Increased serum albumin, gamma globulin, immunoglobulin IgG, and IgG2 and IgG4 in autism. *Psychol Med* 2002;32(8):1457–63.
- [9] Ashwood P, Wakefield AJ. Immune activation of peripheral blood and mucosal CD3(+) lymphocyte cytokine profiles in children with autism and gastrointestinal symptoms. *J Neuroimmunol* 2006;173(1–2):126–34.
- [10] Zimmerman AW, Jyonouchi H, Comi AM, et al. Cerebrospinal fluid and serum markers of inflammation in autism. *Pediatr Neurol* 2005;33(3):195–201.
- [11] Molloy CA, Morrow AL, Meinzen-Derr J, et al. Elevated cytokine levels in children with autism spectrum disorder. *J Neuroimmunol* 2006;172(1–2):198–205.
- [12] Singer HS, Morris CM, Williams PN, Yoon DY, Hong JJ, Zimmerman AW. Antibrain antibodies in children with autism and their unaffected siblings. *J Neuroimmunol* 2006;178(1–2):149–55.
- [13] Torres AR, Sweeten TL, Cutler A, et al. The association and linkage of the HLA-A2 class I allele with autism. *Hum Immunol* 2006;67(4–5):346–51.
- [14] Lee LC, Zachary AA, Leffell MS, et al. HLA-DR4 in families with autism. *Pediatr Neurol* 2006;35(5):303–7.
- [15] Croen LA, Grether JK, Yoshida CK, Odouli R, Van de Water J. Maternal autoimmune diseases, asthma and allergies, and childhood autism spectrum disorders: a case-control study. *Arch Pediatr Adolesc Med* 2005;159(2):151–7.
- [16] Money J, Bobrow NA, Clarke FC. Autism and autoimmune disease: a family study. *J Autism Child Schizophr* 1971;1(2):146–60.
- [17] Sweeten TL, Bowyer SL, Posey DJ, Halberstadt GM, McDougle CJ. Increased prevalence of familial autoimmunity in probands with pervasive developmental disorders. *Pediatrics* 2003;112(5):e420.
- [18] Comi AM, Zimmerman AW, Frye VH, Law PA, Peeden JN. Familial clustering of autoimmune disorders and evaluation of medical risk factors in autism. *J Child Neurol* 1999;14(6):388–94.
- [19] Molloy CA, Morrow AL, Meinzen-Derr J, et al. Familial autoimmune thyroid disease as a risk factor for regression in children with autism spectrum disorder: a CPEA study. *J Autism Dev Disord* 2006.
- [20] Pardo CA, Vargas DL, Zimmerman AW. Immunity, neuroglia

- and neuroinflammation in autism. *Int Rev Psychiatry* 2005;17(6):485–95.
- [21] van Gent T, Heijnen CJ, Treffers PD. Autism and the immune system. *J Child Psychol Psychiatry* 1997;38(3):337–49.
- [22] Ashwood P, Van de Water J. Is autism an autoimmune disease? *Autoimmun Rev* 2004;3(7–8):557–62.
- [23] Ashwood P, Van de Water J. A review of autism and the immune response. *Clin Dev Immunol* 2004;11(2):165–74.
- [24] Cohly HH, Panja A. Immunological findings in autism. *Int Rev Neurobiol* 2005;71:317–41.
- [25] Link H, Huang YM. Oligoclonal bands in multiple sclerosis cerebrospinal fluid: an update on methodology and clinical usefulness. *J Neuroimmunol* 2006;180(1–2):17–28.
- [26] Mandell DS, Novak MM, Zubritsky CD. Factors associated with age of diagnosis among children with autism spectrum disorders. *Pediatrics* 2005;116(6):1480–6.
- [27] Morgan WJ, Stern DA, Sherrill DL, et al. Outcome of asthma and wheezing in the first 6 years of life: follow-up through adolescence. *Am J Respir Crit Care Med* 2005;172(10):1253–8.
- [28] Yunginger JW, Reed CE, O’Connell EJ, Melton 3rd LJ, O’Fallon WM, Silverstein MD. A community-based study of the epidemiology of asthma. Incidence rates, 1964–1983. *Am Rev Respir Dis* 1992;146(4):888–94.
- [29] Osman M, Tagiyeva N, Wassall HJ, et al. Changing trends in sex specific prevalence rates for childhood asthma, eczema, and hay fever. *Pediatr Pulmonol* 2007;42(1):60–5.
- [30] Osman M. Therapeutic implications of sex differences in asthma and atopy. *Arch Dis Child* 2003;88(7):587–590.
- [31] Haliloglu G, Anlar B, Aysun S, et al. Gender prevalence in childhood multiple sclerosis and myasthenia gravis. *J Child Neurol* 2002;17(5):390–2.
- [32] Matricardi PM, Franzinelli F, Franco A, et al. Sibship size, birth order, and atopy in 11,371 Italian young men. *J Allergy Clin Immunol* 1998;101(4 Pt 1):439–44.
- [33] Zekveld C, Bibakis I, Bibaki-Liakou V, et al. The effects of farming and birth order on asthma and allergies. *Eur Respir J* 2006;28(1):82–8.
- [34] Kinra S, Davey Smith G, Jeffreys M, Gunnell D, Galobardes B, McCarron P. Association between sibship size and allergic diseases in the Glasgow Alumni Study. *Thorax* 2006;61(1):48–53.
- [35] Westergaard T, Rostgaard K, Wohlfahrt J, Andersen PK, Aaby P, Melbye M. Sibship characteristics and risk of allergic rhinitis and asthma. *Am J Epidemiol* 2005;162(2):125–32.
- [36] Bernsen RM, de Jongste JC, van der Wouden JC. Birth order and sibship size as independent risk factors for asthma, allergy, and eczema. *Pediatr Allergy Immunol* 2003;14(6):464–9.
- [37] Deykin EY, MacMahon B. Pregnancy, delivery, and neonatal

- complications among autistic children. *Am J Dis Child* 1980;134(9):860–4.
- [38] Piven J, Simon J, Chase GA, et al. The etiology of autism: pre-, peri- and neonatal factors. *J Am Acad Child Adolesc Psychiatry* 1993;32(6):1256–63.
- [39] Croen LA, Grether JK, Selvin S. Descriptive epidemiology of autism in a California population: who is at risk? *J Autism Dev Disord* 2002;32(3):217–24.
- [40] Glasson EJ, Bower C, Petterson B, de Klerk N, Chaney G, Hallmayer JF. Perinatal factors and the development of autism: a population study. *Arch Gen Psychiatry* 2004;61(6):618–27.
- [41] Bolton PF, Murphy M, Macdonald H, Whitlock B, Pickles A, Rutter M. Obstetric complications in autism: consequences or causes of the condition? *J Am Acad Child Adolesc Psychiatry* 1997;36(2):272–81.
- [42] Katz KA, Pocock SJ, Strachan DP. Neonatal head circumference, neonatal weight, and risk of hayfever, asthma and eczema in a large cohort of adolescents from Sheffield, England. *Clin Exp Allergy* 2003;33(6):737–45.
- [43] Oryszczyn MP, Annesi-Maesano I, Campagna D, Sahuquillo J, Huel G, Kauffmann F. Head circumference at birth and maternal factors related to cord blood total IgE. *Clin Exp Allergy* 1999;29(3):334–41.
- [44] Gregory A, Doull I, Pearce N, et al. The relationship between anthropometric measurements at birth: asthma and atopy in childhood. *Clin Exp Allergy* 1999;29(3):330–3.
- [45] Leadbitter P, Pearce N, Cheng S, et al. Relationship between fetal growth and the development of asthma and atopy in childhood. *Thorax* 1999;54(10):905–10.
- [46] Piven J, Arndt S, Bailey J, Haverkamp S, Andreasen NC, Palmer P. An MRI study of brain size in autism. *Am J Psychiatry* 1995;152(8):1145–9.
- [47] Lainhart JE, Piven J, Wzorek M, et al. Macrocephaly in children and adults with autism. *J Am Acad Child Adolesc Psychiatry* 1997;36(2):282–90.
- [48] Redcay E, Courchesne E. When is the brain enlarged in autism? A meta-analysis of all brain size reports. *Biol Psychiatry* 2005;58(1):1–9.
- [49] Courchesne E, Pierce K. Brain overgrowth in autism during a critical time in development: implications for frontal pyramidal neuron and interneuron development and connectivity. *Int J Dev Neurosci* 2005;23(2–3):153–70.
- [50] Herbert MR. Large brains in autism: the challenge of pervasive abnormality. *Neuroscientist* 2005;11(5):417–40.
- [51] Lainhart JE, Bigler ED, Bocian M, et al. Head circumference and height in autism: a study by the collaborative program of excellence in autism. *Am J Med Genet A* 2006;140(21):2257–74.
- [52] Akinbami LJ, Schoendorf KC, Parker J. US childhood asthma prevalence estimates: the Impact of the 1997 National Health Interview Survey redesign. *Am J Epidemiol* 2003;158(2):99–104.

[53] Akinbami LJ, Schoendorf KC. Trends in childhood asthma: prevalence, health care utilization, and mortality. *Pediatrics* 2002;110(2 Pt 1):315–22.

[54] Gillberg C, Cederlund M, Lamberg K, Zeijlon L. Brief Report: The Autism Epidemic. The Registered Prevalence of Autism in a Swedish Urban Area. *J Autism Dev Disord* 2006.

[55] Williams JG, Higgins JP, Brayne CE. Systematic review of prevalence studies of autism spectrum disorders. *Arch Dis Child* 2006;91(1):8–15.

[56] Dales L, Hammer SJ, Smith NJ. Time trends in autism and in MMR immunization coverage in California. *JAMA* 2001;285(9):1183–5.

[57] Gurney JG, Fritz MS, Ness KK, Sievers P, Newschaffer CJ, Shapiro EG. Analysis of prevalence trends of autism spectrum disorder in Minnesota. *Arch Pediatr Adolesc Med* 2003;157(7):622–7.

[58] Newschaffer CJ, Falb MD, Gurney JG. National autism prevalence trends from United States special education data. *Pediatrics* 2005;115(3):e277–82.

[59] Kippes C, Garrison CB. Are we in the midst of an autism epidemic? A review of prevalence data. *Mo Med* 2006;103(1):65–8.

[60] Pitkaniemi J, Onkamo P, Tuomilehto J, Arjas E. Increasing incidence of Type 1 diabetes-role for genes? *BMC Genet* 2004;5:5.

[61] Gillespie KM, Bain SC, Barnett AH, et al. The rising incidence of childhood type 1 diabetes and reduced contribution of high-risk HLA haplotypes. *Lancet* 2004;364(9446):1699–700.

[62] Gardner SG, Bingley PJ, Sawtell PA, Weeks S, Gale EA. Rising incidence of insulin dependent diabetes in children aged under 5 years in the Oxford region: time trend analysis. The Bart's-Oxford Study Group. *BMJ* 1997;315(7110):713–7.

[63] Adler A, Tager I, Quintero DR. Decreased prevalence of asthma among farm-reared children compared with those who are rural but not farm-reared. *J Allergy Clin Immunol* 2005;115(1):67–73.

[64] Naleway AL. Asthma and atopy in rural children: is farming protective? *Clin Med Res* 2004;2(1):5–12.

[65] Gold DR, Wright R. Population disparities in asthma. *Annu Rev Public Health* 2005;26:89–113.

[66] Lauritsen MB, Pedersen CB, Mortensen PB. The incidence and prevalence of pervasive developmental disorders: a Danish population-based study. *Psychol Med* 2004;34(7):1339–46.

[67] Palmer RF, Blanchard S, Stein Z, Mandell D, Miller C. Environmental mercury release, special education rates, and autism disorder: an ecological study of Texas. *Health Place* 2006;12(2):203–9.

[68] Lauritsen MB, Pedersen CB, Mortensen PB. Effects of familial risk factors and place of birth on the risk of autism: a nationwide register-based study. *J Child Psychol*

- Psychiatry 2005;46(9):963–71.
- [69] Hoshino Y, Kumashiro H, Yashima Y, Tachibana R, Watanabe M. The epidemiological study of autism in Fukushima. *Folia Psychiatr Neurol Jpn* 1982;36(2):115–24.
- [70] Hermanson MH, Brozowski JR. History of Inuit community exposure to lead, cadmium, and mercury in sewage lake sediments. *Environ Health Perspect* 2005;113(10):1308–12.
- [71] Fombonne E, Morel J, Macarthur J. No Autism Amongst Inuits From Northern Quebec? Fifth International Meeting for Autism Research 2006 (Abstract PS6.4).
- [72] Hemmelgarn B, Ernst P. Airway function among Inuit primary school children in far northern Quebec. *Am J Respir Crit Care Med* 1997;156(6):1870–5.
- [73] Becker KG. The common variants/multiple disease hypothesis of common complex genetic disorders. *Med Hypotheses* 2004;62(2):309–17.
- [74] Johnson M. Molecular mechanisms of beta(2)-adrenergic receptor function, response, and regulation. *J Allergy Clin Immunol* 2006;117(1):18–24. quiz 25.
- [75] Ge D, Huang J, He J, et al. Beta(2)-adrenergic receptor gene variations associated with stage-2 hypertension in northern Han Chinese. *Ann Hum Genet* 2005;69(Pt 1):36–44.
- [76] Roguedas AM, Audrezet MP, Scotet V, Dupre-Goetghebeur D, Ferec C, Misery L. Intrinsic atopic dermatitis is associated with a beta(2)-adrenergic receptor polymorphism. *Acta Derm Venereol* 2006;86(5):447–8.
- [77] Jazdzewski K, Bednarczuk T, Stepnowska M, et al. Beta(2)-adrenergic receptor gene polymorphism confers susceptibility to Graves disease. *Int J Mol Med* 2007;19(1):181–6.
- [78] Xu B, Arlehag L, Rantapaa-Dahlquist SB, Lefvert AK. Beta(2)-adrenergic receptor gene single-nucleotide polymorphisms are associated with rheumatoid arthritis in northern Sweden. *Scand J Rheumatol* 2004;33(6):395–8.
- [79] Xu BY, Arlehag L, Rantapaa-Dahlquist SB, Lefvert AK. Beta(2)-adrenoceptor gene single nucleotide polymorphisms are associated with rheumatoid arthritis in northern Sweden. *Ann Rheum Dis* 2005;64(5):773–6.
- [80] Masuo K, Katsuya T, Kawaguchi H, et al. Beta(2)-adrenoceptor polymorphisms relate to obesity through blunted leptin-mediated sympathetic activation. *Am J Hypertens* 2006;19(10):1084–91.
- [81] Thakkinian A, McEvoy M, Minelli C, et al. Systematic review and meta-analysis of the association between {beta}2-adrenoceptor polymorphisms and asthma: a HuGE review. *Am J Epidemiol* 2005;162(3):201–11.
- [82] Taylor DR, Kennedy MA. Genetic variation of the beta(2)-adrenoceptor: its functional and clinical importance in bronchial asthma. *Am J Pharmacogenomics* 2001;1(3):165–74.
- [83] Hawkins GA, Tantisira K, Meyers DA, et al. Sequence,



- haplotype, and association analysis of ADRbeta(2) in a multiethnic asthma case-control study. *Am J Respir Crit Care Med* 2006;174(10):1101–9.
- [84] Hall IP, Blakey JD, Al Balushi KA, et al. Beta(2)-adrenoceptor polymorphisms and asthma from childhood to middle age in the British 1958 birth cohort: a genetic association study. *Lancet* 2006;368(9537):771–9.
- [85] Connors SL, Crowell DE, Eberhart CG, et al. Beta(2)-adrenergic receptor activation and genetic polymorphisms in autism: data from dizygotic twins. *J Child Neurol* 2005;20(11):876–84.
- [86] Cheslack-Postava K, Fallin MD, Avramopoulos D, et al. Beta(2)-adrenergic receptor gene variants and risk for autism in the AGRE cohort. *Mol Psychiatry* 2007.
- [87] Deleris P, Gayral S, Breton-Douillon M. Nuclear PtdIns(3,4,5)P(3) signaling: An ongoing story. *J Cell Biochem* 2006;98(3):469–85.
- [88] Patel RK, Mohan C. PI3K/AKT signaling and systemic autoimmunity. *Immunol Res* 2005;31(1):47–55.
- [89] Gil A, Andres-Pons A, Pulido R. Nuclear PTEN: a tale of many tails. *Cell Death Differ* 2006.
- [90] Lee YC. The role of PTEN in allergic inflammation. *Arch Immunol Ther Exp (Warsz)* 2004;52(4):250–4.
- [91] Goffin A, Hoefsloot LH, Bosgoed E, Swillen A, Fryns JP. PTEN mutation in a family with Cowden syndrome and autism. *Am J Med Genet* 2001;105(6):521–4.
- [92] Butler MG, Dasouki MJ, Zhou XP, et al. Subset of individuals with autism spectrum disorders and extreme macrocephaly associated with germline PTEN tumour suppressor gene mutations. *J Med Genet* 2005;42(4):318–21.
- [93] Boccone L, Dessi V, Zappu A, et al. Bannayan–Riley–Ruvalcaba syndrome with reactive nodular lymphoid hyperplasia and autism and a PTEN mutation. *Am J Med Genet A* 2006.
- [94] Kwon CH, Luikart BW, Powell CM, et al. Pten regulates neuronal arborization and social interaction in mice. *Neuron* 2006;50(3):377–88.
- [95] Campbell DB, Sutcliffe JS, Ebert PJ, et al. A genetic variant that disrupts MET transcription is associated with autism. *Proc Natl Acad Sci USA* 2006;103(45):16834–9.
- [96] Skibinski G. The role of hepatocyte growth factor/c-MET interactions in the immune system. *Arch Immunol Ther Exp (Warsz)* 2003;51(5):277–82.
- [97] Okunishi K, Dohi M, Nakagome K, et al. A novel role of hepatocyte growth factor as an immune regulator through suppressing dendritic cell function. *J Immunol* 2005;175(7):4745–53.
- [98] Akimoto M, Baba A, Ikeda-Matsuo Y, et al. Hepatocyte growth factor as an enhancer of NMDA currents and synaptic plasticity in the hippocampus. *Neuroscience* 2004;128(1):155–62.
- [99] Gutierrez H, Dolcet X, Tolcos M, Davies A. HGF regulates the development of cortical pyramidal dendrites. *Development* 2004;131(15):3717–26.

- [100] Tyndall SJ, Walikonis RS. The receptor tyrosine kinase MET and its ligand hepatocyte growth factor are clustered at excitatory synapses and can enhance clustering of synaptic proteins. *Cell Cycle* 2006;5(14):1560–8.
- [101] Becker KG, Simon RM, Bailey-Wilson JE, et al. Clustering of non-major histocompatibility complex susceptibility candidate loci in human autoimmune diseases. *Proc Natl Acad Sci USA* 1998;95(17):9979–84.
- [102] Tomfohrde J, Silverman A, Barnes R, et al. Gene for familial psoriasis susceptibility mapped to the distal end of human chromosome 17q. *Science* 1994;264(5162):1141–5.
- [103] Ma Y, Ohmen JD, Li Z, et al. A genome-wide search identifies potential new susceptibility loci for Crohn's disease. *Inflamm Bowel Dis* 1999;5(4):271–8.
- [104] Zhang H, Leckman JF, Pauls DL, Tsai CP, Kidd KK, Campos MR. Genomewide scan of hoarding in sib pairs in which both sibs have Gilles de la Tourette syndrome. *Am J Hum Genet* 2002;70(4):896–904.
- [105] Auranen M, Vanhala R, Varilo T, et al. A genomewide screen for autism-spectrum disorders: evidence for a major susceptibility locus on chromosome 3q25–27. *Am J Hum Genet* 2002;71(4):777–90.
- [106] Strachan DP. Hay fever, hygiene, and household size. *BMJ* 1989;299(6710):1259–60.
- [107] Karjalainen J, Virta M, Pessi T, Hulkkonen J, Nieminen MM, Hurme M. Childhood cat exposure related tolerance is associated with IL1A and IL10 polymorphisms. *J Allergy Clin Immunol* 2005;116(1):223–5.
- [108] Fasce L, Tosca MA, Silvestri M, Olcese R, Pistorio A, Rossi GA. “Early” cat ownership and the risk of sensitization and allergic rhinitis in Ligurian children with respiratory symptoms. *Ann Allergy Asthma Immunol* 2005;94(5):561–5.
- [109] Kilpelainen M, Terho EO, Helenius H, Koskenvuo M. Farm environment in childhood prevents the development of allergies. *Clin Exp Allergy* 2000;30(2):201–8.
- [110] Karmaus W, Botezan C. Does a higher number of siblings protect against the development of allergy and asthma? A review. *J Epidemiol Community Health* 2002;56(3):209–17.
- [111] Celedon JC, Wright RJ, Litonjua AA, et al. Day care attendance in early life, maternal history of asthma, and asthma at the age of 6 years. *Am J Respir Crit Care Med* 2003;167(9):1239–43.
- [112] von Hertzen L, Haahtela T. Disconnection of man and the soil: reason for the asthma and atopy epidemic? *J Allergy Clin Immunol* 2006;117(2):334–44.
- [113] Yazdanbakhsh M, Kremsner PG, van Ree R. Allergy, parasites, and the hygiene hypothesis. *Science* 2002;296(5567):490–4.
- [114] Ramsey CD, Celedon JC. The hygiene hypothesis and asthma. *Curr Opin Pulm Med* 2005;11(1):14–20.



[115] Flohr C, Pascoe D, Williams HC. Atopic dermatitis and the 'hygiene hypothesis': too clean to be true? *Br J Dermatol* 2005;152(2):202–16.

[116] Bloomfield SF, Stanwell-Smith R, Crevel RW, Pickup J. Too clean, or not too clean: the hygiene hypothesis and home hygiene. *Clin Exp Allergy* 2006;36(4):402–25.

[117] Silverstein FS, Barks JD, Hagan P, Liu XH, Ivacko J, Szaflarski J. Cytokines and perinatal brain injury. *Neurochem Int* 1997;30(4–5):375–83.

[118] Saliba E, Henrot A. Inflammatory mediators and neonatal brain damage. *Biol Neonate* 2001;79(3–4):224–7.